

1

**Massachusetts Department of Public Health
Bureau of Infectious Disease Prevention, Response and Services
Office of Integrated Surveillance and Informatics**

**Lyme Disease Cases* in Massachusetts
Confirmed Case Counts by Year**

	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008
ABINGTON	0	0	<5	<5	0	0	<5	<5	6	6
ACTON	<5	5	<5	<5	12	5	21	13	40	31
ACUSHNET	<5	7	10	11	5	11	14	8	<5	12
ADAMS	0	0	0	0	0	0	0	0	<5	<5
AGAWAM	5	<5	<5	5	6	<5	6	7	<5	<5
ALFORD	0	<5	0	<5	<5	5	<5	0	<5	<5
AMESBURY	0	<5	<5	13	9	11	10	21	20	21
AMHERST	7	7	8	10	14	8	12	10	17	20
ANDOVER	<5	<5	6	12	16	17	30	28	35	46
AQUINNAH	<5	0	0	<5	<5	<5	<5	0	<5	5
ARLINGTON	<5	6	<5	6	<5	<5	14	13	12	12
ASHBURNHAM	0	0	0	0	0	<5	<5	<5	0	<5
ASHBY	<5	0	0	0	0	<5	<5	<5	0	5
ASHFIELD	0	<5	0	0	0	<5	0	0	0	0
ASHLAND	<5	<5	<5	8	8	5	6	5	13	7
ATHOL	<5	<5	<5	<5	<5	0	<5	0	5	<5
ATTLEBORO	<5	5	<5	<5	<5	<5	<5	<5	6	8
AUBURN	0	<5	0	0	<5	<5	<5	6	9	9
AVON	<5	<5	<5	0	0	0	0	0	<5	<5
AYER	0	<5	<5	<5	<5	<5	<5	7	7	<5
BARNSTABLE	5	12	10	<5	<5	6	10	8	28	12
BARRE	0	0	0	<5	0	<5	<5	5	<5	6
BECKET	0	<5	0	0	0	0	<5	<5	0	<5
BEDFORD	5	6	10	21	15	5	15	19	19	10
BELCHERTOWN	10	15	8	16	7	12	23	25	18	12
BELLINGHAM	<5	0	<5	<5	<5	6	<5	<5	9	10
BELMONT	<5	<5	<5	<5	<5	<5	6	7	8	<5
BERKLEY	0	0	<5	<5	<5	<5	<5	<5	10	8
BERLIN	0	<5	0	0	0	<5	<5	0	5	5

(Continued)

*** Data as of 26MAY2009 and are subject to change.**

~Note: for areas with a population <50,000, cell sizes less than 5 are suppressed to maintain confidentiality.

2

**Massachusetts Department of Public Health
Bureau of Infectious Disease Prevention, Response and Services
Office of Integrated Surveillance and Informatics**

**Lyme Disease Cases* in Massachusetts
Confirmed Case Counts by Year**

	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008
BERNARDSTON	0	0	0	0	0	0	0	0	0	<5
BEVERLY	7	13	22	20	16	10	13	17	18	20
BILLERICA	<5	<5	6	5	6	5	7	9	6	14
BLACKSTONE	0	0	0	0	<5	0	<5	0	6	6
BLANDFORD	<5	0	0	0	0	0	<5	0	<5	0
BOLTON	0	0	0	<5	<5	<5	10	6	11	15
BOSTON	14	28	16	28	13	23	45	23	53	57
BOURNE	7	12	18	21	15	23	26	15	28	8
BOXBOROUGH	0	<5	0	0	7	<5	11	10	11	9
BOXFORD	6	12	10	22	8	<5	<5	10	17	22
BOYLSTON	0	0	0	0	0	<5	<5	6	<5	5
BRAINTREE	<5	<5	<5	<5	<5	<5	<5	11	9	13
BREWSTER	23	17	26	27	27	27	27	24	27	23
BRIDGEWATER	<5	<5	6	8	8	5	13	10	24	28
BRIMFIELD	<5	5	6	13	13	5	<5	8	7	<5
BROCKTON	2	1	1	5	6	6	12	9	14	17
BROOKFIELD	0	0	0	<5	<5	<5	<5	<5	<5	<5
BROOKLINE	8	4	4	12	4	5	11	4	14	9
BURLINGTON	0	0	<5	<5	<5	5	9	<5	<5	<5
CAMBRIDGE	6	8	6	9	5	5	11	11	17	17
CANTON	<5	<5	<5	<5	6	5	6	9	20	14
CARLISLE	<5	<5	8	9	<5	7	8	8	7	10
CARVER	<5	5	<5	<5	<5	<5	6	10	7	6
CHARLEMONT	0	0	0	0	0	0	0	0	<5	<5
CHARLTON	<5	5	7	18	8	8	6	22	11	11
CHATHAM	<5	<5	<5	9	10	9	13	11	12	9
CHELMSFORD	<5	<5	<5	8	12	8	18	12	25	27
CHELSEA	<5	<5	0	<5	0	0	<5	0	<5	<5
CHESHIRE	0	0	<5	0	0	0	0	0	0	<5

(Continued)

** Data as of 26MAY2009 and are subject to change.*

~Note: for areas with a population <50,000, cell sizes less than 5 are suppressed to maintain confidentiality.

3

**Massachusetts Department of Public Health
Bureau of Infectious Disease Prevention, Response and Services
Office of Integrated Surveillance and Informatics**

**Lyme Disease Cases* in Massachusetts
Confirmed Case Counts by Year**

	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008
CHESTER	0	0	0	0	0	0	<5	<5	0	0
CHICOPEE	4	3	1	4	5	5	0	4	6	8
CHILMARK	12	5	7	8	9	18	16	8	<5	6
CLARKSBURG	<5	<5	0	0	0	0	0	0	0	0
CLINTON	0	<5	<5	<5	<5	0	6	7	7	7
COHASSET	0	<5	0	<5	<5	0	<5	<5	7	12
COLRAIN	0	0	<5	<5	0	0	0	0	0	5
CONCORD	<5	<5	7	8	18	7	19	18	23	17
CONWAY	0	0	0	0	<5	0	0	<5	<5	<5
CUMMINGTON	0	0	<5	0	0	0	0	0	0	<5
DALTON	0	0	<5	0	0	<5	<5	<5	<5	<5
DANVERS	<5	<5	<5	<5	<5	<5	<5	8	15	7
DARTMOUTH	14	14	27	17	13	15	28	31	25	27
DEDHAM	<5	<5	6	5	<5	<5	12	11	11	18
DEERFIELD	0	<5	<5	<5	<5	0	<5	<5	<5	<5
DENNIS	8	13	<5	12	13	14	18	14	10	12
DIGHTON	0	0	0	<5	<5	0	0	<5	<5	<5
DOUGLAS	0	0	<5	7	<5	<5	6	7	13	12
DOVER	<5	7	<5	12	<5	<5	6	5	12	15
DRACUT	0	0	0	<5	0	<5	<5	<5	13	8
DUDLEY	<5	5	<5	16	0	0	<5	5	14	11
DUNSTABLE	0	0	0	<5	8	7	<5	12	8	11
DUXBURY	0	0	<5	<5	0	<5	15	12	31	27
EAST BRIDGEWATER	<5	<5	<5	<5	0	<5	<5	12	10	14
EAST BROOKFIELD	0	0	0	<5	<5	<5	<5	<5	<5	<5
EAST LONGMEADOW	<5	<5	8	6	<5	<5	6	9	10	12
EASTHAM	5	<5	13	6	12	8	7	<5	10	7
EASTHAMPTON	0	<5	0	<5	0	<5	<5	5	<5	9
EASTON	0	<5	<5	9	<5	6	10	19	15	20

(Continued)

** Data as of 26MAY2009 and are subject to change.*

~Note: for areas with a population <50,000, cell sizes less than 5 are suppressed to maintain confidentiality.

4

**Massachusetts Department of Public Health
Bureau of Infectious Disease Prevention, Response and Services
Office of Integrated Surveillance and Informatics**

**Lyme Disease Cases* in Massachusetts
Confirmed Case Counts by Year**

	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008
EDGARTOWN	7	7	9	6	13	12	24	13	12	12
EGREMONT	<5	<5	6	6	5	6	<5	6	<5	9
ERVING	0	0	0	<5	0	0	0	<5	<5	<5
ESSEX	<5	10	<5	<5	<5	<5	5	<5	<5	<5
EVERETT	<5	0	0	0	<5	<5	<5	<5	<5	<5
FAIRHAVEN	5	5	6	13	6	<5	10	14	17	12
FALL RIVER	3	9	17	16	7	19	19	23	19	24
FALMOUTH	13	17	8	18	15	28	45	22	44	16
FITCHBURG	0	0	0	<5	<5	<5	5	6	5	7
FOXBOROUGH	0	<5	<5	<5	<5	<5	8	12	12	12
FRAMINGHAM	5	5	11	22	14	20	21	17	33	24
FRANKLIN	<5	<5	<5	<5	7	9	11	17	19	30
FREETOWN	<5	<5	7	<5	7	12	<5	17	20	17
GARDNER	0	<5	<5	<5	<5	<5	0	<5	<5	<5
GEORGETOWN	<5	<5	<5	5	<5	6	10	6	9	16
GILL	0	0	0	0	0	<5	0	0	<5	<5
GLOUCESTER	6	8	6	10	6	8	20	11	23	7
GOSHEN	0	0	<5	0	0	0	0	0	<5	0
GOSNOLD	0	0	<5	0	0	0	0	0	<5	0
GRAFTON	0	<5	<5	8	<5	<5	16	30	22	18
GRANBY	0	<5	<5	9	<5	<5	6	5	<5	6
GRANVILLE	0	0	0	<5	0	0	0	0	<5	<5
GREAT BARRINGTON	16	10	11	27	32	21	26	29	35	27
GREENFIELD	0	<5	0	<5	<5	6	6	<5	8	8
GROTON	0	0	<5	<5	5	7	10	18	14	17
GROVELAND	<5	0	<5	<5	0	<5	0	<5	7	13
HADLEY	<5	<5	<5	<5	0	0	0	<5	0	<5
HALIFAX	<5	<5	<5	<5	<5	<5	<5	<5	<5	7
HAMILTON	12	19	9	13	12	<5	11	6	8	5

(Continued)

** Data as of 26MAY2009 and are subject to change.*

~Note: for areas with a population <50,000, cell sizes less than 5 are suppressed to maintain confidentiality.

**Massachusetts Department of Public Health
Bureau of Infectious Disease Prevention, Response and Services
Office of Integrated Surveillance and Informatics**

**Lyme Disease Cases* in Massachusetts
Confirmed Case Counts by Year**

	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008
HAMPDEN	0	<5	<5	<5	<5	9	14	7	14	13
HANCOCK	0	0	0	<5	0	0	0	0	0	0
HANOVER	<5	<5	<5	<5	<5	<5	5	0	9	10
HANSON	<5	0	0	<5	<5	<5	<5	<5	5	13
HARDWICK	<5	<5	<5	0	<5	<5	<5	0	<5	<5
HARVARD	<5	5	7	8	6	9	26	16	24	29
HARWICH	15	22	11	22	22	20	29	8	20	17
HATFIELD	0	0	0	<5	<5	<5	0	<5	<5	<5
HAVERHILL	2	4	9	7	16	13	23	21	22	19
HINGHAM	<5	<5	5	5	<5	<5	6	<5	10	23
HINSDALE	0	0	0	0	0	<5	0	0	0	0
HOLBROOK	<5	<5	0	<5	0	<5	<5	0	<5	5
HOLDEN	0	<5	0	<5	<5	0	<5	15	17	12
HOLLAND	0	<5	<5	8	<5	0	0	<5	<5	<5
HOLLISTON	<5	<5	<5	9	12	9	11	9	23	25
HOLYOKE	<5	<5	0	7	<5	<5	<5	<5	13	9
HOPEDALE	0	<5	<5	0	0	<5	<5	<5	<5	9
HOPKINTON	<5	<5	6	12	<5	5	13	12	21	18
HUBBARDSTON	0	<5	0	<5	<5	5	<5	<5	<5	<5
HUDSON	0	<5	0	<5	<5	<5	<5	<5	12	16
HULL	0	<5	0	0	0	<5	0	<5	7	<5
HUNTINGTON	0	0	0	0	0	0	<5	0	<5	<5
IPSWICH	27	39	13	24	16	17	22	26	24	22
KINGSTON	<5	5	5	<5	<5	<5	11	<5	9	9
LAKEVILLE	<5	<5	5	<5	<5	10	11	13	7	10
LANCASTER	<5	<5	<5	<5	7	5	6	11	7	10
LANESBOROUGH	0	<5	0	0	<5	<5	0	0	0	<5
LAWRENCE	0	2	3	7	1	4	5	6	3	1
LEE	0	<5	6	8	5	<5	5	<5	5	7

(Continued)

** Data as of 26MAY2009 and are subject to change.*

~Note: for areas with a population <50,000, cell sizes less than 5 are suppressed to maintain confidentiality.

**Massachusetts Department of Public Health
Bureau of Infectious Disease Prevention, Response and Services
Office of Integrated Surveillance and Informatics**

**Lyme Disease Cases* in Massachusetts
Confirmed Case Counts by Year**

	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008
LEICESTER	0	0	<5	0	0	0	0	0	6	<5
LENOX	0	<5	<5	<5	5	<5	<5	<5	<5	<5
LEOMINSTER	<5	<5	<5	<5	5	7	6	11	7	14
LEVERETT	0	0	0	0	0	0	0	0	<5	<5
LEXINGTON	5	<5	5	8	7	5	7	14	15	15
LEYDEN	0	0	0	0	0	<5	0	0	0	<5
LINCOLN	<5	<5	<5	8	<5	8	13	16	16	18
LITTLETON	0	<5	<5	<5	5	7	11	10	24	19
LONGMEADOW	0	<5	<5	<5	<5	<5	9	<5	6	14
LOWELL	1	2	3	5	5	3	6	7	13	9
LUDLOW	6	10	10	17	13	8	12	13	8	8
LUNENBURG	0	0	<5	<5	<5	5	8	9	9	12
LYNN	0	1	6	2	3	3	6	1	6	11
LYNNFIELD	0	0	0	7	<5	<5	11	15	11	9
MALDEN	1	1	2	4	0	0	2	1	4	0
MANCHESTER	<5	<5	<5	<5	<5	<5	<5	8	9	6
MANSFIELD	<5	<5	5	7	<5	<5	10	11	19	13
MARBLEHEAD	0	7	<5	<5	<5	0	5	6	6	<5
MARION	11	9	18	23	13	12	22	6	12	15
MARLBOROUGH	6	6	9	14	8	8	19	23	30	41
MARSHFIELD	0	<5	<5	6	12	18	23	21	25	16
MASHPEE	6	<5	<5	6	8	12	6	6	6	<5
MATTAPOISETT	6	18	22	31	18	19	17	<5	23	9
MAYNARD	<5	0	0	0	<5	<5	<5	0	11	8
MEDFIELD	5	19	12	17	20	18	21	21	34	23
MEDFORD	1	1	2	4	2	3	2	3	3	7
MEDWAY	<5	0	<5	9	9	<5	9	13	17	18
MELROSE	0	<5	0	<5	<5	<5	<5	0	<5	8
MENDON	<5	<5	<5	<5	<5	0	<5	<5	11	9

(Continued)

** Data as of 26MAY2009 and are subject to change.*

~Note: for areas with a population <50,000, cell sizes less than 5 are suppressed to maintain confidentiality.

7

**Massachusetts Department of Public Health
Bureau of Infectious Disease Prevention, Response and Services
Office of Integrated Surveillance and Informatics**

**Lyme Disease Cases* in Massachusetts
Confirmed Case Counts by Year**

	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008
MERRIMAC	0	<5	<5	<5	<5	<5	0	0	5	9
METHUEN	0	<5	<5	<5	5	6	7	<5	9	11
MIDDLEBOROUGH	10	13	21	29	22	19	23	18	22	24
MIDDLEFIELD	0	0	0	0	0	0	0	0	0	<5
MIDDLETON	<5	<5	<5	5	<5	<5	<5	6	<5	6
MILFORD	<5	<5	<5	<5	<5	<5	9	6	10	14
MILLBURY	0	0	<5	7	<5	<5	7	17	7	6
MILLIS	<5	0	8	23	11	8	12	9	17	9
MILLVILLE	0	0	0	0	0	0	<5	<5	5	<5
MILTON	5	<5	<5	<5	5	9	9	12	11	13
MONROE	0	0	<5	0	0	0	0	0	0	0
MONSON	5	13	7	9	11	11	8	21	12	7
MONTAGUE	0	<5	<5	<5	<5	<5	6	<5	<5	9
MONTEREY	0	<5	0	<5	<5	<5	<5	<5	<5	<5
MOUNT WASHINGTON	0	0	0	0	0	0	<5	0	0	0
NAHANT	0	0	0	0	0	<5	0	<5	0	0
NANTUCKET	66	38	45	62	37	50	32	24	65	43
NATICK	<5	6	9	14	11	17	14	23	19	27
NEEDHAM	<5	9	7	20	12	17	27	18	20	30
NEW BEDFORD	13	6	17	21	15	8	22	10	29	27
NEW BRAINTREE	0	0	<5	0	0	0	<5	0	<5	<5
NEW MARLBOROUGH	0	<5	<5	<5	<5	<5	<5	0	5	5
NEWBURY	<5	<5	5	9	6	6	11	<5	6	13
NEWBURYPORT	<5	5	7	<5	<5	5	6	6	16	12
NEWTON	7	11	11	18	15	10	26	10	18	24
NORFOLK	0	0	<5	12	15	6	13	5	10	19
NORTH ADAMS	<5	0	0	<5	<5	<5	0	<5	<5	11
NORTH ANDOVER	<5	<5	<5	7	6	6	10	<5	18	16
NORTH ATTLEBOROUGH	<5	<5	0	<5	0	<5	0	0	5	<5

(Continued)

** Data as of 26MAY2009 and are subject to change.*

~Note: for areas with a population <50,000, cell sizes less than 5 are suppressed to maintain confidentiality.

**Massachusetts Department of Public Health
Bureau of Infectious Disease Prevention, Response and Services
Office of Integrated Surveillance and Informatics**

**Lyme Disease Cases* in Massachusetts
Confirmed Case Counts by Year**

	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008
NORTH BROOKFIELD	0	0	0	0	0	0	0	<5	<5	<5
NORTH READING	0	5	<5	0	6	7	11	12	16	31
NORTHAMPTON	<5	<5	<5	5	<5	8	11	11	7	16
NORTHBOROUGH	0	<5	5	<5	<5	8	0	5	9	10
NORTHBRIDGE	<5	<5	<5	<5	<5	<5	<5	12	<5	12
NORTHFIELD	0	0	0	0	0	<5	<5	<5	<5	<5
NORTON	0	<5	<5	<5	<5	5	5	11	8	10
NORWELL	<5	<5	<5	<5	<5	<5	8	9	7	12
NORWOOD	<5	<5	<5	<5	6	<5	5	11	19	16
OAK BLUFFS	<5	<5	<5	<5	7	6	<5	<5	5	<5
OAKHAM	0	0	<5	0	0	0	0	<5	0	<5
ORANGE	0	0	<5	0	<5	0	<5	<5	<5	<5
ORLEANS	6	18	17	11	24	12	18	18	16	13
OTIS	0	<5	<5	<5	<5	<5	<5	0	0	<5
OXFORD	0	0	<5	8	6	5	7	10	7	15
PALMER	6	9	6	10	7	7	5	8	10	7
PAXTON	0	<5	<5	<5	<5	<5	<5	8	<5	<5
PEABODY	<5	<5	<5	6	<5	<5	5	5	10	6
PELHAM	0	0	0	0	<5	<5	<5	<5	<5	<5
PEMBROKE	<5	<5	<5	<5	0	<5	10	7	25	21
PEPPERELL	<5	0	<5	<5	7	<5	8	8	12	12
PETERSHAM	<5	0	0	<5	0	<5	<5	<5	0	<5
PITTSFIELD	<5	6	<5	<5	<5	12	<5	11	10	11
PLAINFIELD	0	0	0	0	0	<5	0	0	0	<5
PLAINVILLE	0	<5	0	<5	<5	<5	<5	0	5	<5
PLYMOUTH	21	39	32	39	22	58	61	35	53	43
PLYMPTON	0	<5	<5	0	0	<5	<5	0	<5	6
PRINCETON	0	0	0	0	0	0	0	0	<5	<5
PROVINCETOWN	<5	0	<5	<5	<5	<5	0	<5	<5	<5

(Continued)

** Data as of 26MAY2009 and are subject to change.*

~Note: for areas with a population <50,000, cell sizes less than 5 are suppressed to maintain confidentiality.

9

**Massachusetts Department of Public Health
Bureau of Infectious Disease Prevention, Response and Services
Office of Integrated Surveillance and Informatics**

**Lyme Disease Cases* in Massachusetts
Confirmed Case Counts by Year**

	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008
QUINCY	2	2	3	1	2	1	4	5	9	16
RANDOLPH	<5	0	<5	<5	0	<5	<5	<5	<5	5
RAYNHAM	<5	<5	0	<5	<5	<5	7	8	7	11
READING	0	0	0	<5	<5	7	7	8	11	19
REHOBOTH	0	<5	<5	6	<5	6	6	<5	6	10
REVERE	0	0	<5	0	0	<5	<5	<5	<5	<5
RICHMOND	<5	<5	0	<5	<5	<5	<5	<5	<5	<5
ROCHESTER	10	15	6	18	9	5	18	<5	12	15
ROCKLAND	0	<5	<5	0	0	<5	<5	<5	6	12
ROCKPORT	<5	<5	0	<5	<5	<5	0	<5	<5	6
ROWE	0	0	0	0	<5	0	0	0	0	<5
ROWLEY	7	10	13	<5	<5	<5	9	5	9	6
ROYALSTON	0	0	<5	<5	0	0	<5	0	0	0
RUSSELL	0	0	0	0	0	0	<5	0	<5	<5
RUTLAND	<5	<5	0	0	<5	0	0	<5	<5	<5
SALEM	<5	6	<5	0	<5	<5	<5	<5	<5	<5
SALISBURY	0	0	0	<5	<5	<5	<5	7	8	10
SANDISFIELD	0	0	0	<5	0	<5	0	0	<5	<5
SANDWICH	7	10	13	15	12	<5	5	22	40	14
SAUGUS	0	<5	0	0	0	0	0	<5	<5	<5
SAVOY	0	0	0	0	0	0	0	0	<5	0
SCITUATE	0	0	0	<5	<5	<5	8	11	12	17
SEEKONK	0	<5	<5	7	<5	<5	0	5	5	10
SHARON	<5	<5	<5	10	7	9	22	26	27	27
SHEFFIELD	5	15	10	10	8	12	9	9	11	9
SHELBURNE	0	0	0	0	0	<5	<5	<5	<5	<5
SHERBORN	<5	5	9	17	6	6	15	17	23	16
SHIRLEY	0	<5	<5	<5	<5	5	5	<5	9	11
SHREWSBURY	<5	<5	<5	<5	0	0	<5	<5	8	16

(Continued)

*** Data as of 26MAY2009 and are subject to change.**

~Note: for areas with a population <50,000, cell sizes less than 5 are suppressed to maintain confidentiality.

**Massachusetts Department of Public Health
Bureau of Infectious Disease Prevention, Response and Services
Office of Integrated Surveillance and Informatics**

**Lyme Disease Cases* in Massachusetts
Confirmed Case Counts by Year**

	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008
SHUTESBURY	0	<5	0	0	<5	0	<5	<5	<5	<5
SOMERSET	0	<5	<5	0	<5	0	<5	0	6	10
SOMERVILLE	4	4	4	2	1	1	1	6	9	8
SOUTH HADLEY	0	0	<5	6	<5	0	7	0	<5	8
SOUTHAMPTON	0	0	0	0	<5	<5	0	0	<5	<5
SOUTHBOROUGH	12	5	11	5	9	6	7	15	13	13
SOUTHBRIDGE	0	7	9	14	9	11	9	10	8	8
SOUTHWICK	0	0	0	<5	<5	0	<5	0	<5	8
SPENCER	0	<5	<5	<5	<5	<5	5	5	5	11
SPRINGFIELD	8	8	9	15	10	6	17	16	21	23
STERLING	<5	<5	0	<5	0	<5	5	5	8	<5
STOCKBRIDGE	0	<5	<5	5	9	10	6	8	<5	<5
STONEHAM	<5	0	0	0	0	<5	<5	<5	<5	<5
STOUGHTON	<5	<5	<5	<5	<5	<5	8	<5	11	<5
STOW	0	<5	<5	5	<5	7	6	9	10	18
STURBRIDGE	0	<5	8	17	12	<5	13	8	10	6
SUDBURY	<5	6	<5	15	8	7	7	24	24	24
SUNDERLAND	0	0	<5	0	<5	<5	<5	0	0	<5
SUTTON	<5	<5	<5	9	<5	<5	0	11	<5	13
SWAMPSCOTT	0	<5	<5	<5	<5	<5	<5	5	0	<5
SWANSEA	0	<5	<5	<5	<5	<5	<5	<5	<5	8
TAUNTON	1	2	5	4	10	9	14	15	22	15
TEMPLETON	0	0	0	<5	0	0	0	0	<5	<5
TEWKSBURY	0	<5	<5	<5	0	<5	<5	8	14	9
TISBURY	10	13	14	15	21	9	39	12	19	11
TOLLAND	0	0	0	0	0	0	0	0	0	<5
TOPSFIELD	23	26	22	41	23	18	13	23	27	12
TOWNSEND	<5	0	<5	0	<5	5	<5	8	5	<5
TRURO	<5	5	<5	7	6	<5	7	5	7	<5

(Continued)

** Data as of 26MAY2009 and are subject to change.*

~Note: for areas with a population <50,000, cell sizes less than 5 are suppressed to maintain confidentiality.

**Massachusetts Department of Public Health
Bureau of Infectious Disease Prevention, Response and Services
Office of Integrated Surveillance and Informatics**

**Lyme Disease Cases* in Massachusetts
Confirmed Case Counts by Year**

	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008
TYNGSBOROUGH	<5	0	0	<5	0	<5	0	<5	7	8
TYRINGHAM	0	0	0	0	<5	0	0	<5	0	0
UPTON	0	<5	<5	<5	0	<5	7	8	<5	10
UXBRIDGE	0	<5	<5	<5	<5	<5	5	10	14	19
Unknown	0	<5	<5	<5	0	<5	18	43	275	494
WAKEFIELD	<5	<5	<5	<5	0	<5	5	5	<5	9
WALES	0	<5	<5	6	<5	<5	<5	<5	0	<5
WALPOLE	<5	<5	<5	13	14	10	15	26	29	39
WALTHAM	2	0	0	1	2	0	0	3	3	8
WARE	6	7	<5	12	15	6	7	<5	12	7
WAREHAM	21	27	25	32	24	23	38	38	28	21
WARREN	5	6	5	12	<5	<5	<5	6	5	6
WARWICK	0	0	0	0	0	0	0	0	<5	<5
WASHINGTON	<5	0	0	0	0	0	0	0	0	0
WATERTOWN	0	<5	<5	<5	<5	5	<5	<5	5	6
WAYLAND	<5	<5	<5	<5	7	<5	11	16	16	14
WEBSTER	<5	0	<5	<5	<5	<5	0	8	5	10
WELLESLEY	5	5	7	9	<5	6	21	11	15	9
WELLFLEET	<5	10	5	11	10	7	<5	5	<5	6
WENDELL	0	0	0	0	0	0	<5	0	<5	<5
WENHAM	<5	<5	<5	<5	6	11	8	<5	8	6
WEST BOYLSTON	0	0	0	<5	<5	0	<5	<5	5	10
WEST BRIDGEWATER	0	<5	0	<5	<5	0	<5	<5	<5	5
WEST BROOKFIELD	0	0	0	5	<5	<5	<5	<5	9	<5
WEST NEWBURY	<5	7	5	13	6	8	13	12	15	12
WEST SPRINGFIELD	<5	<5	<5	<5	<5	6	<5	11	<5	10
WEST STOCKBRIDGE	0	0	<5	<5	<5	<5	<5	<5	<5	<5
WEST TISBURY	5	5	<5	10	7	8	9	8	11	10
WESTBOROUGH	0	<5	<5	6	6	7	7	6	8	12

(Continued)

*** Data as of 26MAY2009 and are subject to change.**

~Note: for areas with a population <50,000, cell sizes less than 5 are suppressed to maintain confidentiality.

**Massachusetts Department of Public Health
Bureau of Infectious Disease Prevention, Response and Services
Office of Integrated Surveillance and Informatics**

**Lyme Disease Cases* in Massachusetts
Confirmed Case Counts by Year**

	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008
WESTFIELD	<5	<5	<5	<5	12	<5	8	9	6	21
WESTFORD	<5	<5	7	14	7	9	28	23	29	25
WESTHAMPTON	0	0	0	0	<5	<5	0	0	<5	<5
WESTMINSTER	0	0	0	0	<5	0	<5	<5	0	7
WESTON	<5	0	<5	0	<5	0	17	14	15	24
WESTPORT	8	11	19	24	15	12	6	12	19	13
WESTWOOD	0	<5	6	5	12	10	18	24	30	34
WEYMOUTH	5	1	4	9	5	0	5	20	17	25
WHATELY	0	0	0	0	0	<5	0	0	0	0
WHITMAN	<5	<5	<5	<5	<5	<5	6	<5	9	8
WILBRAHAM	7	10	13	35	19	14	21	18	21	24
WILLIAMSBURG	0	<5	<5	<5	0	0	0	0	0	5
WILLIAMSTOWN	<5	<5	<5	0	<5	0	<5	0	5	22
WILMINGTON	0	<5	<5	<5	<5	<5	<5	6	<5	7
WINCHENDON	0	<5	0	<5	<5	<5	<5	0	0	0
WINCHESTER	<5	<5	0	<5	<5	6	<5	6	5	<5
WINDSOR	0	0	0	0	<5	0	0	0	<5	<5
WINTHROP	0	<5	0	0	0	0	0	0	0	0
WOBURN	0	6	<5	0	<5	<5	6	<5	6	7
WORCESTER	1	10	5	11	8	9	27	37	25	45
WORTHINGTON	<5	0	0	0	0	0	0	0	0	<5
WRENTHAM	0	0	<5	<5	<5	<5	5	5	7	10
YARMOUTH	18	19	9	22	8	18	28	19	21	15

** Data as of 26MAY2009 and are subject to change.*

~Note: for areas with a population <50,000, cell sizes less than 5 are suppressed to maintain confidentiality.

**Massachusetts Department of Public Health
Bureau of Infectious Disease Prevention, Response and Services
Office of Integrated Surveillance and Informatics**

**Lyme Disease Cases* in Massachusetts
Incidence Rates^ (per 100,000 population) for Confirmed Cases by Year**

	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008
ABINGTON	0	0	~~~	~~~	0	0	~~~	~~~	41.082	41.082
ACTON	~~~	24.593	~~~	~~~	59.023	24.593	103.29	63.942	196.74	152.48
ACUSHNET	~~~	68.891	98.416	108.26	49.208	108.26	137.78	78.732	~~~	118.1
ADAMS	0	0	0	0	0	0	0	0	~~~	~~~
AGAWAM	17.766	~~~	~~~	17.766	21.319	~~~	21.319	24.872	~~~	~~~
ALFORD	0	~~~	0	~~~	~~~	1253.1	~~~	0	~~~	~~~
AMESBURY	0	~~~	~~~	79.027	54.711	66.869	60.79	127.66	121.58	127.66
AMHERST	20.072	20.072	22.94	28.675	40.145	22.94	34.41	28.675	48.747	57.349
ANDOVER	~~~	~~~	19.202	38.404	51.205	54.405	96.009	89.609	112.01	147.21
AQUINNAH	~~~	0	0	~~~	~~~	~~~	~~~	0	~~~	1453.5
ARLINGTON	~~~	14.155	~~~	14.155	~~~	~~~	33.027	30.668	28.309	28.309
ASHBURNHAM	0	0	0	0	0	~~~	~~~	~~~	0	~~~
ASHBY	~~~	0	0	0	0	~~~	~~~	~~~	0	175.75
ASHFIELD	0	~~~	0	0	0	~~~	0	0	0	0
ASHLAND	~~~	~~~	~~~	54.518	54.518	34.074	40.889	34.074	88.592	47.703
ATHOL	~~~	~~~	~~~	~~~	~~~	0	~~~	0	44.252	~~~
ATTLEBORO	~~~	11.886	~~~	~~~	~~~	~~~	~~~	~~~	14.263	19.017
AUBURN	0	~~~	0	0	~~~	~~~	~~~	37.733	56.6	56.6
AVON	~~~	~~~	~~~	0	0	0	0	0	~~~	~~~
AYER	0	~~~	~~~	~~~	~~~	~~~	~~~	96.061	96.061	~~~
BARNSTABLE	10.456	25.094	20.911	~~~	~~~	12.547	20.911	16.729	58.552	25.094
BARRE	0	0	0	~~~	0	~~~	~~~	97.79	~~~	117.35
BECKET	0	~~~	0	0	0	0	~~~	~~~	0	~~~
BEDFORD	39.698	47.638	79.397	166.73	119.09	39.698	119.09	150.85	150.85	79.397
BELCHERTOWN	77.113	115.67	61.69	123.38	53.979	92.535	177.36	192.78	138.8	92.535
BELLINGHAM	~~~	0	~~~	~~~	~~~	39.18	~~~	~~~	58.77	65.3
BELMONT	~~~	~~~	~~~	~~~	~~~	~~~	24.8	28.933	33.066	~~~
BERKLEY	0	0	~~~	~~~	~~~	~~~	~~~	~~~	173.94	139.15

(Continued)

*** Data as of 26MAY2009 and are subject to change.**

~Note: for areas with a population <50,000, cell sizes less than 5 are suppressed to maintain confidentiality.

^Using 2000 Census Data

**Massachusetts Department of Public Health
Bureau of Infectious Disease Prevention, Response and Services
Office of Integrated Surveillance and Informatics**

**Lyme Disease Cases* in Massachusetts
Incidence Rates^ (per 100,000 population) for Confirmed Cases by Year**

	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008
BERLIN	0	~~~	0	0	0	~~~	~~~	0	210.08	210.08
BERNARDSTON	0	0	0	0	0	0	0	0	0	~~~
BEVERLY	17.561	32.613	55.19	50.173	40.138	25.087	32.613	42.647	45.156	50.173
BILLERICA	~~~	~~~	15.392	12.827	15.392	12.827	17.957	23.088	15.392	35.915
BLACKSTONE	0	0	0	0	~~~	0	~~~	0	68.151	68.151
BLANDFORD	~~~	0	0	0	0	0	~~~	0	~~~	0
BOLTON	0	0	0	~~~	~~~	~~~	240.44	144.27	264.49	360.66
BOSTON	2.3771	4.7542	2.7167	4.7542	2.2073	3.9052	7.6406	3.9052	8.999	9.6781
BOURNE	24.787	42.491	63.737	74.36	53.114	81.442	92.065	53.114	99.147	28.328
BOXBOROUGH	0	~~~	0	0	143.8	~~~	225.97	205.42	225.97	184.88
BOXFORD	75.748	151.5	126.25	277.74	101	~~~	~~~	126.25	214.62	277.74
BOYLSTON	0	0	0	0	0	~~~	~~~	146.95	~~~	122.46
BRAINTREE	~~~	~~~	~~~	~~~	~~~	~~~	~~~	32.517	26.605	38.43
BREWSTER	227.86	168.42	257.58	267.49	267.49	267.49	267.49	237.77	267.49	227.86
BRIDGEWATER	~~~	~~~	23.824	31.765	31.765	19.853	51.618	39.706	95.295	111.18
BRIMFIELD	~~~	149.75	179.69	389.34	389.34	149.75	~~~	239.59	209.64	~~~
BROCKTON	2.1208	1.0604	1.0604	5.302	6.3624	6.3624	12.725	9.5436	14.846	18.027
BROOKFIELD	0	0	0	~~~	~~~	~~~	~~~	~~~	~~~	~~~
BROOKLINE	13.964	6.9819	6.9819	20.946	6.9819	8.7274	19.2	6.9819	24.437	15.709
BURLINGTON	0	0	~~~	~~~	~~~	21.857	39.343	~~~	~~~	~~~
CAMBRIDGE	5.9198	7.893	5.9198	8.8797	4.9332	4.9332	10.853	10.853	16.773	16.773
CANTON	~~~	~~~	~~~	~~~	28.881	24.067	28.881	43.321	96.27	67.389
CARLISLE	~~~	~~~	169.6	190.8	~~~	148.4	169.6	169.6	148.4	212
CARVER	~~~	44.735	~~~	~~~	~~~	~~~	53.682	89.469	62.629	53.682
CHARLEMONT	0	0	0	0	0	0	0	0	~~~	~~~
CHARLTON	~~~	44.393	62.15	159.82	71.029	71.029	53.272	195.33	97.665	97.665
CHATHAM	~~~	~~~	~~~	55.745	61.939	55.745	80.52	68.133	74.326	55.745
CHELMSFORD	~~~	~~~	~~~	23.628	35.442	23.628	53.163	35.442	73.838	79.745

(Continued)

*** Data as of 26MAY2009 and are subject to change.**

~Note: for areas with a population <50,000, cell sizes less than 5 are suppressed to maintain confidentiality.

^Using 2000 Census Data

**Massachusetts Department of Public Health
Bureau of Infectious Disease Prevention, Response and Services
Office of Integrated Surveillance and Informatics**

**Lyme Disease Cases* in Massachusetts
Incidence Rates^ (per 100,000 population) for Confirmed Cases by Year**

	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008
CHELSEA	~~~	~~~	0	~~~	0	0	~~~	0	~~~	~~~
CHESHIRE	0	0	~~~	0	0	0	0	0	0	~~~
CHESTER	0	0	0	0	0	0	~~~	~~~	0	0
CHICOPEE	7.3189	5.4892	1.8297	7.3189	9.1486	9.1486	0	7.3189	10.978	14.638
CHILMARK	1423.5	593.12	830.37	948.99	1067.6	2135.2	1898	948.99	~~~	711.74
CLARKSBURG	~~~	~~~	0	0	0	0	0	0	0	0
CLINTON	0	~~~	~~~	~~~	~~~	0	44.696	52.145	52.145	52.145
COHASSET	0	~~~	0	~~~	~~~	0	~~~	~~~	96.405	165.27
COLRAIN	0	0	~~~	~~~	0	0	0	0	0	275.79
CONCORD	~~~	~~~	41.193	47.078	105.93	41.193	111.81	105.93	135.35	100.04
CONWAY	0	0	0	0	~~~	0	0	~~~	~~~	~~~
CUMMINGTON	0	0	~~~	0	0	0	0	0	0	~~~
DALTON	0	0	~~~	0	0	~~~	~~~	~~~	~~~	~~~
DANVERS	~~~	~~~	~~~	~~~	~~~	~~~	~~~	31.731	59.495	27.765
DARTMOUTH	34.838	34.838	67.188	42.303	32.35	37.326	69.676	77.141	62.211	67.188
DEDHAM	~~~	~~~	25.571	21.309	~~~	~~~	51.142	46.88	46.88	76.713
DEERFIELD	0	~~~	~~~	~~~	~~~	0	~~~	~~~	~~~	~~~
DENNIS	50.085	81.387	~~~	75.127	81.387	87.648	112.69	87.648	62.606	75.127
DIGHTON	0	0	0	~~~	~~~	0	0	~~~	~~~	~~~
DOUGLAS	0	0	~~~	99.361	~~~	~~~	85.167	99.361	184.53	170.33
DOVER	~~~	125.94	~~~	215.91	~~~	~~~	107.95	89.96	215.91	269.88
DRACUT	0	0	0	~~~	0	~~~	~~~	~~~	45.515	28.009
DUDLEY	~~~	49.821	~~~	159.43	0	0	~~~	49.821	139.5	109.61
DUNSTABLE	0	0	0	~~~	282.79	247.44	~~~	424.18	282.79	388.83
DUXBURY	0	0	~~~	~~~	0	~~~	105.28	84.222	217.57	189.5
EAST BRIDGEWATER	~~~	~~~	~~~	~~~	0	~~~	~~~	92.493	77.077	107.91
EAST BROOKFIELD	0	0	0	~~~	~~~	~~~	~~~	~~~	~~~	~~~
EAST LONGMEADOW	~~~	~~~	56.738	42.553	~~~	~~~	42.553	63.83	70.922	85.106

(Continued)

*** Data as of 26MAY2009 and are subject to change.**

~Note: for areas with a population <50,000, cell sizes less than 5 are suppressed to maintain confidentiality.

^Using 2000 Census Data

**Massachusetts Department of Public Health
Bureau of Infectious Disease Prevention, Response and Services
Office of Integrated Surveillance and Informatics**

**Lyme Disease Cases* in Massachusetts
Incidence Rates^ (per 100,000 population) for Confirmed Cases by Year**

	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008
EASTHAM	33.393	~~~	86.823	40.072	80.144	53.43	46.751	~~~	66.787	46.751
EASTHAMPTON	0	~~~	0	~~~	0	~~~	~~~	31.262	~~~	56.271
EASTON	0	~~~	~~~	40.361	~~~	26.907	44.845	85.206	67.268	89.69
EDGARTOWN	52.636	52.636	67.674	45.116	97.752	90.232	180.46	97.752	90.232	90.232
EGREMONT	~~~	~~~	446.1	446.1	371.75	446.1	~~~	446.1	~~~	669.14
ERVING	0	0	0	~~~	0	0	0	~~~	~~~	~~~
ESSEX	~~~	306.09	~~~	~~~	~~~	~~~	153.05	~~~	~~~	~~~
EVERETT	~~~	0	0	0	~~~	~~~	~~~	~~~	~~~	~~~
FAIRHAVEN	30.943	30.943	37.131	80.451	37.131	~~~	61.885	86.639	105.2	74.262
FALL RIVER	3.2631	9.7892	18.491	17.403	7.6138	20.666	20.666	25.017	20.666	26.105
FALMOUTH	30.82	40.303	18.966	42.674	35.562	66.382	106.69	52.157	104.31	37.933
FITCHBURG	0	0	0	~~~	~~~	~~~	12.787	15.344	12.787	17.902
FOXBOROUGH	0	~~~	~~~	~~~	~~~	~~~	49.243	73.864	73.864	73.864
FRAMINGHAM	7.4727	7.4727	16.44	32.88	20.924	29.891	31.385	25.407	49.32	35.869
FRANKLIN	~~~	~~~	~~~	~~~	23.681	30.447	37.212	57.51	64.276	101.49
FREETOWN	~~~	~~~	38.906	~~~	38.906	66.696	~~~	94.486	111.16	94.486
GARDNER	0	~~~	~~~	~~~	~~~	~~~	0	~~~	~~~	~~~
GEORGETOWN	~~~	~~~	~~~	67.778	~~~	81.334	135.56	81.334	122	216.89
GILL	0	0	0	0	0	~~~	0	0	~~~	~~~
GLOUCESTER	19.82	26.426	19.82	33.033	19.82	26.426	66.065	36.336	75.975	23.123
GOSHEN	0	0	~~~	0	0	0	0	0	~~~	0
GOSNOLD	0	0	~~~	0	0	0	0	0	~~~	0
GRAFTON	0	~~~	~~~	53.713	~~~	~~~	107.43	201.42	147.71	120.85
GRANBY	0	~~~	~~~	146.77	~~~	~~~	97.847	81.539	~~~	97.847
GRANVILLE	0	0	0	~~~	0	0	0	0	~~~	~~~
GREAT BARRINGTON	212.57	132.86	146.14	358.71	425.14	279	345.42	385.28	464.99	358.71
GREENFIELD	0	~~~	0	~~~	~~~	33.025	33.025	~~~	44.033	44.033
GROTON	0	0	~~~	~~~	52.372	73.321	104.74	188.54	146.64	178.07

(Continued)

*** Data as of 26MAY2009 and are subject to change.**

~Note: for areas with a population <50,000, cell sizes less than 5 are suppressed to maintain confidentiality.

^Using 2000 Census Data

**Massachusetts Department of Public Health
Bureau of Infectious Disease Prevention, Response and Services
Office of Integrated Surveillance and Informatics**

**Lyme Disease Cases* in Massachusetts
Incidence Rates^ (per 100,000 population) for Confirmed Cases by Year**

	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008
GROVELAND	~~~	0	~~~	~~~	0	~~~	0	~~~	115.93	215.3
HADLEY	~~~	~~~	~~~	~~~	0	0	0	~~~	0	~~~
HALIFAX	~~~	~~~	~~~	~~~	~~~	~~~	~~~	~~~	~~~	93.583
HAMILTON	144.32	228.5	108.24	156.34	144.32	~~~	132.29	72.159	96.212	60.132
HAMPDEN	0	~~~	~~~	~~~	~~~	174.05	270.74	135.37	270.74	251.4
HANCOCK	0	0	0	~~~	0	0	0	0	0	0
HANOVER	~~~	~~~	~~~	~~~	~~~	~~~	37.982	0	68.368	75.965
HANSON	~~~	0	0	~~~	~~~	~~~	~~~	~~~	52.549	136.63
HARDWICK	~~~	~~~	~~~	0	~~~	~~~	~~~	0	~~~	~~~
HARVARD	~~~	83.598	117.04	133.76	100.32	150.48	434.71	267.51	401.27	484.87
HARWICH	121.1	177.62	88.81	177.62	177.62	161.47	234.14	64.589	161.47	137.25
HATFIELD	0	0	0	~~~	~~~	~~~	0	~~~	~~~	~~~
HAVERHILL	3.3916	6.7832	15.262	11.871	27.133	22.045	39.004	35.612	37.308	32.22
HINGHAM	~~~	~~~	25.148	25.148	~~~	~~~	30.178	~~~	50.297	115.68
HINSDALE	0	0	0	0	0	~~~	0	0	0	0
HOLBROOK	~~~	~~~	0	~~~	0	~~~	~~~	0	~~~	46.361
HOLDEN	0	~~~	0	~~~	~~~	0	~~~	96.025	108.83	76.82
HOLLAND	0	~~~	~~~	332.36	~~~	0	0	~~~	~~~	~~~
HOLLISTON	~~~	~~~	~~~	65.213	86.95	65.213	79.704	65.213	166.65	181.15
HOLYOKE	~~~	~~~	0	17.571	~~~	~~~	~~~	~~~	32.632	22.591
HOPEDALE	0	~~~	~~~	0	0	~~~	~~~	~~~	~~~	152.36
HOPKINTON	~~~	~~~	44.957	89.915	~~~	37.464	97.407	89.915	157.35	134.87
HUBBARDSTON	0	~~~	0	~~~	~~~	127.91	~~~	~~~	~~~	~~~
HUDSON	0	~~~	0	~~~	~~~	~~~	~~~	~~~	66.251	88.334
HULL	0	~~~	0	0	0	~~~	0	~~~	63.348	~~~
HUNTINGTON	0	0	0	0	0	0	~~~	0	~~~	~~~
IPSWICH	207.9	300.3	100.1	184.8	123.2	130.9	169.4	200.2	184.8	169.4
KINGSTON	~~~	42.445	42.445	~~~	~~~	~~~	93.379	~~~	76.401	76.401

(Continued)

*** Data as of 26MAY2009 and are subject to change.**

~Note: for areas with a population <50,000, cell sizes less than 5 are suppressed to maintain confidentiality.

^Using 2000 Census Data

**Massachusetts Department of Public Health
Bureau of Infectious Disease Prevention, Response and Services
Office of Integrated Surveillance and Informatics**

**Lyme Disease Cases* in Massachusetts
Incidence Rates^ (per 100,000 population) for Confirmed Cases by Year**

	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008
LAKEVILLE	~~~	~~~	50.911	~~~	~~~	101.82	112	132.37	71.276	101.82
LANCASTER	~~~	~~~	~~~	~~~	94.851	67.751	81.301	149.05	94.851	135.5
LANESBOROUGH	0	~~~	0	0	~~~	~~~	0	0	0	~~~
LAWRENCE	0	2.7761	4.1642	9.7164	1.3881	5.5522	6.9403	8.3284	4.1642	1.3881
LEE	0	~~~	100.25	133.67	83.542	~~~	83.542	~~~	83.542	116.96
LEICESTER	0	0	~~~	0	0	0	0	0	57.301	~~~
LENOX	0	~~~	~~~	~~~	98.483	~~~	~~~	~~~	~~~	~~~
LEOMINSTER	~~~	~~~	~~~	~~~	12.106	16.948	14.527	26.632	16.948	33.896
LEVERETT	0	0	0	0	0	0	0	0	~~~	~~~
LEXINGTON	16.472	~~~	16.472	26.355	23.06	16.472	23.06	46.121	49.415	49.415
LEYDEN	0	0	0	0	0	~~~	0	0	0	~~~
LINCOLN	~~~	~~~	~~~	99.305	~~~	99.305	161.37	198.61	198.61	223.44
LITTLETON	0	~~~	~~~	~~~	61.095	85.533	134.41	122.19	293.26	232.16
LONGMEADOW	0	~~~	~~~	~~~	~~~	~~~	57.571	~~~	38.38	89.554
LOWELL	0.9509	1.9017	2.8526	4.7543	4.7543	2.8526	5.7052	6.6561	12.361	8.5578
LUDLOW	28.29	47.15	47.15	80.155	61.295	37.72	56.58	61.295	37.72	37.72
LUNENBURG	0	0	~~~	~~~	~~~	53.186	85.097	95.734	95.734	127.65
LYNN	0	1.123	6.7378	2.2459	3.3689	3.3689	6.7378	1.123	6.7378	12.353
LYNNFIELD	0	0	0	60.648	~~~	~~~	95.304	129.96	95.304	77.976
MALDEN	1.7749	1.7749	3.5499	7.0998	0	0	3.5499	1.7749	7.0998	0
MANCHESTER	~~~	~~~	~~~	~~~	~~~	~~~	~~~	153.02	172.15	114.77
MANSFIELD	~~~	~~~	22.307	31.23	~~~	~~~	44.615	49.076	84.768	57.999
MARBLEHEAD	0	34.352	~~~	~~~	~~~	0	24.537	29.445	29.445	~~~
MARION	214.72	175.68	351.36	448.96	253.76	234.24	429.44	117.12	234.24	292.8
MARLBOROUGH	16.549	16.549	24.824	38.615	22.066	22.066	52.407	63.44	82.747	113.09
MARSHFIELD	0	~~~	~~~	24.667	49.334	74.001	94.557	86.334	102.78	65.779
MASHPEE	46.346	~~~	~~~	46.346	61.795	92.693	46.346	46.346	46.346	~~~
MATTAPOISETT	95.724	287.17	350.99	494.58	287.17	303.13	271.22	~~~	366.94	143.59

(Continued)

* Data as of 26MAY2009 and are subject to change.

~Note: for areas with a population <50,000, cell sizes less than 5 are suppressed to maintain confidentiality.

^Using 2000 Census Data

**Massachusetts Department of Public Health
Bureau of Infectious Disease Prevention, Response and Services
Office of Integrated Surveillance and Informatics**

**Lyme Disease Cases* in Massachusetts
Incidence Rates^ (per 100,000 population) for Confirmed Cases by Year**

	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008
MAYNARD	---	0	0	0	---	---	---	0	105.43	76.68
MEDFIELD	40.74	154.81	97.776	138.52	162.96	146.66	171.11	171.11	277.03	187.4
MEDFORD	1.7932	1.7932	3.5865	7.173	3.5865	5.3797	3.5865	5.3797	5.3797	12.553
MEDWAY	---	0	---	72.301	72.301	---	72.301	104.43	136.57	144.6
MELROSE	0	---	0	---	---	---	---	0	---	29.483
MENDON	---	---	---	---	---	0	---	---	208.1	170.26
MERRIMAC	0	---	---	---	---	---	0	0	81.46	146.63
METHUEN	0	---	---	---	11.418	13.702	15.986	---	20.553	25.12
MIDDLEBOROUGH	50.183	65.238	105.38	145.53	110.4	95.348	115.42	90.33	110.4	120.44
MIDDLEFIELD	0	0	0	0	0	0	0	0	0	---
MIDDLETON	---	---	---	64.566	---	---	---	77.479	---	77.479
MILFORD	---	---	---	---	---	---	33.583	22.389	37.315	52.241
MILLBURY	0	0	---	54.756	---	---	54.756	132.98	54.756	46.934
MILLIS	---	0	101.24	291.07	139.21	101.24	151.86	113.9	215.14	113.9
MILLVILLE	0	0	0	0	0	0	---	---	183.55	---
MILTON	19.185	---	---	---	19.185	34.533	34.533	46.044	42.207	49.881
MONROE	0	0	---	0	0	0	0	0	0	0
MONSON	59.816	155.52	83.742	107.67	131.59	131.59	95.705	251.23	143.56	83.742
MONTAGUE	0	---	---	---	---	---	70.68	---	---	106.02
MONTEREY	0	---	0	---	---	---	---	---	---	---
MOUNT WASHINGTON	0	0	0	0	0	0	---	0	0	0
NAHANT	0	0	0	0	0	---	0	---	0	0
NANTUCKET	693.28	399.16	472.69	651.26	388.66	525.21	336.13	252.1	682.77	451.68
NATICK	---	18.651	27.976	43.519	34.193	52.844	43.519	71.495	59.061	83.929
NEEDHAM	---	31.116	24.201	69.147	41.488	58.775	93.348	62.232	69.147	103.72
NEW BEDFORD	13.864	6.3988	18.13	22.396	15.997	8.5317	23.462	10.665	30.927	28.794
NEW BRAINTREE	0	0	---	0	0	0	---	0	---	---
NEW MARLBOROUGH	0	---	---	---	---	---	---	0	334.67	334.67

(Continued)

*** Data as of 26MAY2009 and are subject to change.**

~Note: for areas with a population <50,000, cell sizes less than 5 are suppressed to maintain confidentiality.

^Using 2000 Census Data

**Massachusetts Department of Public Health
Bureau of Infectious Disease Prevention, Response and Services
Office of Integrated Surveillance and Informatics**

**Lyme Disease Cases* in Massachusetts
Incidence Rates^ (per 100,000 population) for Confirmed Cases by Year**

	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008
NEWBURY	~~~	~~~	74.438	133.99	89.326	89.326	163.76	~~~	89.326	193.54
NEWBURYPORT	~~~	29.088	40.724	~~~	~~~	29.088	34.906	34.906	93.083	69.812
NEWTON	8.3503	13.122	13.122	21.472	17.894	11.929	31.016	11.929	21.472	28.63
NORFOLK	0	0	~~~	114.72	143.4	57.361	124.28	47.801	95.602	181.64
NORTH ADAMS	~~~	0	0	~~~	~~~	~~~	0	~~~	~~~	74.927
NORTH ANDOVER	~~~	~~~	~~~	25.733	22.057	22.057	36.762	~~~	66.172	58.819
NORTH ATTLEBOROUGH	~~~	~~~	0	~~~	0	~~~	0	0	18.421	~~~
NORTH BROOKFIELD	0	0	0	0	0	0	0	~~~	~~~	~~~
NORTH READING	0	36.135	~~~	0	43.362	50.589	79.497	86.724	115.63	224.04
NORTHAMPTON	~~~	~~~	~~~	17.254	~~~	27.607	37.96	37.96	24.156	55.214
NORTHBOROUGH	0	~~~	35.681	~~~	~~~	57.09	0	35.681	64.226	71.362
NORTHBRIDGE	~~~	~~~	~~~	~~~	~~~	~~~	~~~	91.033	~~~	91.033
NORTHFIELD	0	0	0	0	0	~~~	~~~	~~~	~~~	~~~
NORTON	0	~~~	~~~	~~~	~~~	27.722	27.722	60.989	44.356	55.445
NORWELL	~~~	~~~	~~~	~~~	~~~	~~~	81.925	92.166	71.685	122.89
NORWOOD	~~~	~~~	~~~	~~~	20.989	~~~	17.49	38.479	66.464	55.969
OAK BLUFFS	~~~	~~~	~~~	~~~	188.53	161.59	~~~	~~~	134.66	~~~
OAKHAM	0	0	~~~	0	0	0	0	~~~	0	~~~
ORANGE	0	0	~~~	0	~~~	0	~~~	~~~	~~~	~~~
ORLEANS	37.829	113.49	107.18	69.352	151.31	75.657	113.49	113.49	100.88	81.962
OTIS	0	~~~	~~~	~~~	~~~	~~~	~~~	0	0	~~~
OXFORD	0	0	~~~	59.916	44.937	37.448	52.427	74.895	52.427	112.34
PALMER	48.012	72.017	48.012	80.019	56.013	56.013	40.01	64.015	80.019	56.013
PAXTON	0	~~~	~~~	~~~	~~~	~~~	~~~	182.4	~~~	~~~
PEABODY	~~~	~~~	~~~	12.465	~~~	~~~	10.388	10.388	20.775	12.465
PELHAM	0	0	0	0	~~~	~~~	~~~	~~~	~~~	~~~
PEMBROKE	~~~	~~~	~~~	~~~	0	~~~	59.077	41.354	147.69	124.06
PEPPERELL	~~~	0	~~~	~~~	62.825	~~~	71.8	71.8	107.7	107.7

(Continued)

*** Data as of 26MAY2009 and are subject to change.**

~Note: for areas with a population <50,000, cell sizes less than 5 are suppressed to maintain confidentiality.

^Using 2000 Census Data

**Massachusetts Department of Public Health
Bureau of Infectious Disease Prevention, Response and Services
Office of Integrated Surveillance and Informatics**

**Lyme Disease Cases* in Massachusetts
Incidence Rates^ (per 100,000 population) for Confirmed Cases by Year**

	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008
PETERSHAM	---	0	0	---	0	---	---	---	0	---
PITTSFIELD	---	13.102	---	---	---	26.205	---	24.021	21.837	24.021
PLAINFIELD	0	0	0	0	0	---	0	0	0	---
PLAINVILLE	0	---	0	---	---	---	---	0	65.079	---
PLYMOUTH	40.618	75.434	61.894	75.434	42.552	112.18	117.99	67.697	102.51	83.171
PLYMPTON	0	---	---	0	0	---	---	0	---	227.53
PRINCETON	0	0	0	0	0	0	0	0	---	---
PROVINCETOWN	---	0	---	---	---	---	0	---	---	---
QUINCY	2.2721	2.2721	3.4081	1.136	2.2721	1.136	4.5442	5.6802	10.224	18.177
RANDOLPH	---	0	---	---	0	---	---	---	---	16.148
RAYNHAM	---	---	0	---	---	---	59.63	68.149	59.63	93.705
READING	0	0	0	---	---	29.526	29.526	33.744	46.398	80.142
REHOBOTH	0	---	---	58.985	---	58.985	58.985	---	58.985	98.309
REVERE	0	0	---	0	0	---	---	---	---	---
RICHMOND	---	---	0	---	---	---	---	---	---	---
ROCHESTER	218.29	327.44	130.98	392.93	196.46	109.15	392.93	---	261.95	327.44
ROCKLAND	0	---	---	0	0	---	---	---	33.956	67.912
ROCKPORT	---	---	0	---	---	---	0	---	---	77.25
ROWE	0	0	0	0	---	0	0	0	0	---
ROWLEY	127.27	181.82	236.36	---	---	---	163.64	90.909	163.64	109.09
ROYALSTON	0	0	---	---	0	0	---	0	0	0
RUSSELL	0	0	0	0	0	0	---	0	---	---
RUTLAND	---	---	0	0	---	0	0	---	---	---
SALEM	---	14.851	---	0	---	---	---	---	---	---
SALISBURY	0	0	0	---	---	---	---	89.434	102.21	127.76
SANDISFIELD	0	0	0	---	0	---	0	0	---	---
SANDWICH	34.764	49.662	64.561	74.493	59.595	---	24.831	109.26	198.65	69.527
SAUGUS	0	---	0	0	0	0	0	---	---	---

(Continued)

*** Data as of 26MAY2009 and are subject to change.**

~Note: for areas with a population <50,000, cell sizes less than 5 are suppressed to maintain confidentiality.

^Using 2000 Census Data

**Massachusetts Department of Public Health
Bureau of Infectious Disease Prevention, Response and Services
Office of Integrated Surveillance and Informatics**

**Lyme Disease Cases* in Massachusetts
Incidence Rates^ (per 100,000 population) for Confirmed Cases by Year**

	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008
SAVOY	0	0	0	0	0	0	0	0	~~~	0
SCITUATE	0	0	0	~~~	~~~	~~~	44.785	61.58	67.178	95.169
SEEKONK	0	~~~	~~~	52.142	~~~	~~~	0	37.244	37.244	74.488
SHARON	~~~	~~~	~~~	57.445	40.211	51.7	126.38	149.36	155.1	155.1
SHEFFIELD	149.93	449.78	299.85	299.85	239.88	359.82	269.87	269.87	329.84	269.87
SHELBURNE	0	0	0	0	0	~~~	~~~	~~~	~~~	~~~
SHERBORN	~~~	119.05	214.29	404.76	142.86	142.86	357.14	404.76	547.62	380.95
SHIRLEY	0	~~~	~~~	~~~	~~~	78.456	78.456	~~~	141.22	172.6
SHREWSBURY	~~~	~~~	~~~	~~~	0	0	~~~	~~~	25.345	50.689
SHUTESBURY	0	~~~	0	0	~~~	0	~~~	~~~	~~~	~~~
SOMERSET	0	~~~	~~~	0	~~~	0	~~~	0	32.906	54.843
SOMERVILLE	5.1628	5.1628	5.1628	2.5814	1.2907	1.2907	1.2907	7.7441	11.616	10.326
SOUTH HADLEY	0	0	~~~	34.892	~~~	0	40.707	0	~~~	46.522
SOUTHAMPTON	0	0	0	0	~~~	~~~	0	0	~~~	~~~
SOUTHBOROUGH	136.66	56.941	125.27	56.941	102.49	68.329	79.718	170.82	148.05	148.05
SOUTHBRIDGE	0	40.665	52.283	81.329	52.283	63.901	52.283	58.092	46.474	46.474
SOUTHWICK	0	0	0	~~~	~~~	0	~~~	0	~~~	90.549
SPENCER	0	~~~	~~~	~~~	~~~	~~~	42.768	42.768	42.768	94.089
SPRINGFIELD	5.2603	5.2603	5.9179	9.8631	6.5754	3.9452	11.178	10.521	13.808	15.123
STERLING	~~~	~~~	0	~~~	0	~~~	68.899	68.899	110.24	~~~
STOCKBRIDGE	0	~~~	~~~	219.68	395.43	439.37	263.62	351.49	~~~	~~~
STONEHAM	~~~	0	0	0	0	~~~	~~~	~~~	~~~	~~~
STOUGHTON	~~~	~~~	~~~	~~~	~~~	~~~	29.467	~~~	40.517	~~~
STOW	0	~~~	~~~	84.717	~~~	118.6	101.66	152.49	169.43	304.98
STURBRIDGE	0	~~~	102.08	216.92	153.12	~~~	165.88	102.08	127.6	76.56
SUDBURY	~~~	35.627	~~~	89.068	47.503	41.565	41.565	142.51	142.51	142.51
SUNDERLAND	0	0	~~~	0	~~~	~~~	~~~	0	0	~~~
SUTTON	~~~	~~~	~~~	109.09	~~~	~~~	0	133.33	~~~	157.58

(Continued)

*** Data as of 26MAY2009 and are subject to change.**

~Note: for areas with a population <50,000, cell sizes less than 5 are suppressed to maintain confidentiality.

^Using 2000 Census Data

**Massachusetts Department of Public Health
Bureau of Infectious Disease Prevention, Response and Services
Office of Integrated Surveillance and Informatics**

**Lyme Disease Cases* in Massachusetts
Incidence Rates^ (per 100,000 population) for Confirmed Cases by Year**

	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008
SWAMPSCOTT	0	~~~	~~~	~~~	~~~	~~~	~~~	34.693	0	~~~
SWANSEA	0	~~~	~~~	~~~	~~~	~~~	~~~	~~~	~~~	50.311
TAUNTON	1.7865	3.573	8.9324	7.1459	17.865	16.078	25.011	26.797	39.303	26.797
TEMPLETON	0	0	0	~~~	0	0	0	0	~~~	~~~
TEWKSBURY	0	~~~	~~~	~~~	0	~~~	~~~	27.733	48.532	31.199
TISBURY	75.33	97.928	105.46	112.99	158.19	67.797	293.79	90.395	143.13	82.863
TOLLAND	0	0	0	0	0	0	0	0	0	~~~
TOPSFIELD	374.53	423.38	358.25	667.64	374.53	293.11	211.69	374.53	439.67	195.41
TOWNSEND	~~~	0	~~~	0	~~~	54.36	~~~	86.975	54.36	~~~
TRURO	~~~	239.58	~~~	335.41	287.49	~~~	335.41	239.58	335.41	~~~
TYNGSBOROUGH	~~~	0	0	~~~	0	~~~	0	~~~	63.171	72.196
TYRINGHAM	0	0	0	0	~~~	0	0	~~~	0	0
UPTON	0	~~~	~~~	~~~	0	~~~	124.07	141.79	~~~	177.24
UXBRIDGE	0	~~~	~~~	~~~	~~~	~~~	44.819	89.638	125.49	170.31
Unknown	0	~~~	~~~	~~~	0	~~~	0	0	0	0
WAKEFIELD	~~~	~~~	~~~	~~~	0	~~~	20.158	20.158	~~~	36.284
WALES	0	~~~	~~~	345.42	~~~	~~~	~~~	~~~	0	~~~
WALPOLE	~~~	~~~	~~~	56.958	61.339	43.814	65.72	113.92	127.06	170.87
WALTHAM	3.3769	0	0	1.6884	3.3769	0	0	5.0653	5.0653	13.508
WARE	61.811	72.113	~~~	123.62	154.53	61.811	72.113	~~~	123.62	72.113
WAREHAM	103.27	132.78	122.94	157.36	118.02	113.11	186.87	186.87	137.69	103.27
WARREN	104.69	125.63	104.69	251.26	~~~	~~~	~~~	125.63	104.69	125.63
WARWICK	0	0	0	0	0	0	0	0	~~~	~~~
WASHINGTON	~~~	0	0	0	0	0	0	0	0	0
WATERTOWN	0	~~~	~~~	~~~	~~~	15.158	~~~	~~~	15.158	18.19
WAYLAND	~~~	~~~	~~~	~~~	53.435	~~~	83.969	122.14	122.14	106.87
WEBSTER	~~~	0	~~~	~~~	~~~	~~~	0	48.736	30.46	60.92
WELLESLEY	18.794	18.794	26.312	33.829	~~~	22.553	78.935	41.347	56.382	33.829

(Continued)

* Data as of 26MAY2009 and are subject to change.

~Note: for areas with a population <50,000, cell sizes less than 5 are suppressed to maintain confidentiality.

^Using 2000 Census Data

**Massachusetts Department of Public Health
Bureau of Infectious Disease Prevention, Response and Services
Office of Integrated Surveillance and Informatics**

**Lyme Disease Cases* in Massachusetts
Incidence Rates^ (per 100,000 population) for Confirmed Cases by Year**

	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008
WELLFLEET	---	363.77	181.88	400.15	363.77	254.64	---	181.88	---	218.26
WENDELL	0	0	0	0	0	0	---	0	---	---
WENHAM	---	---	---	---	135.14	247.75	180.18	---	180.18	135.14
WEST BOYLSTON	0	0	0	---	---	0	---	---	66.836	133.67
WEST BRIDGEWATER	0	---	0	---	---	0	---	---	---	75.369
WEST BROOKFIELD	0	0	0	131.44	---	---	---	---	236.59	---
WEST NEWBURY	---	168.72	120.51	313.33	144.61	192.82	313.33	289.23	361.53	289.23
WEST SPRINGFIELD	---	---	---	---	---	21.506	---	39.428	---	35.844
WEST STOCKBRIDGE	0	0	---	---	---	---	---	---	---	---
WEST TISBURY	41.712	41.712	---	83.424	58.397	66.739	75.081	66.739	91.766	83.424
WESTBOROUGH	0	---	---	33.339	33.339	38.895	38.895	33.339	44.452	66.678
WESTFIELD	---	---	---	---	29.946	---	19.964	22.46	14.973	52.406
WESTFORD	---	---	33.728	67.457	33.728	43.365	134.91	110.82	139.73	120.46
WESTHAMPTON	0	0	0	0	---	---	0	0	---	---
WESTMINSTER	0	0	0	0	---	0	---	---	0	101.35
WESTON	---	0	---	0	---	0	148.28	122.11	130.83	209.33
WESTPORT	33.751	46.408	80.159	101.25	63.283	50.627	25.313	50.627	80.159	54.845
WESTWOOD	0	---	42.502	35.418	85.004	70.837	127.51	170.01	212.51	240.84
WEYMOUTH	9.2613	1.8523	7.4091	16.67	9.2613	0	9.2613	37.045	31.488	46.307
WHATELY	0	0	0	0	0	---	0	0	0	0
WHITMAN	---	---	---	---	---	---	43.221	---	64.832	57.629
WILBRAHAM	51.956	74.223	96.489	259.78	141.02	103.91	155.87	133.6	155.87	178.13
WILLIAMSBURG	0	---	---	---	0	0	0	0	0	206.02
WILLIAMSTOWN	---	---	---	0	---	0	---	0	59.354	261.16
WILMINGTON	0	---	---	---	---	---	---	28.081	---	32.761
WINCHENDON	0	---	0	---	---	---	---	0	0	0
WINCHESTER	---	---	0	---	---	28.832	---	28.832	24.027	---
WINDSOR	0	0	0	0	---	0	0	0	---	---

(Continued)

*** Data as of 26MAY2009 and are subject to change.**

~Note: for areas with a population <50,000, cell sizes less than 5 are suppressed to maintain confidentiality.

^Using 2000 Census Data

**Massachusetts Department of Public Health
Bureau of Infectious Disease Prevention, Response and Services
Office of Integrated Surveillance and Informatics**

**Lyme Disease Cases* in Massachusetts
Incidence Rates^ (per 100,000 population) for Confirmed Cases by Year**

	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008
WINTHROP	0	~~~	0	0	0	0	0	0	0	0
WOBURN	0	16.104	~~~	0	~~~	~~~	16.104	~~~	16.104	18.788
WORCESTER	0.5792	5.7921	2.8961	6.3713	4.6337	5.2129	15.639	21.431	14.48	26.065
WORTHINGTON	~~~	0	0	0	0	0	0	0	0	~~~
WRENTHAM	0	0	~~~	~~~	~~~	~~~	47.375	47.375	66.326	94.751
YARMOUTH	52.437	55.35	26.218	64.089	23.305	52.437	81.568	55.35	61.176	43.697

*** Data as of 26MAY2009 and are subject to change.**

~Note: for areas with a population <50,000, cell sizes less than 5 are suppressed to maintain confidentiality.

^Using 2000 Census Data